

approach which is not using the technology in the common practice. Therefore we will have to work on a new adjusted protocol to get rid of the mentioned measurement related disadvantages.

Acknowledgements

We want to thank Björn Striebing for his supporting experimental work. This work was partially financed by the German Research Foundation (DFG) within the graduate school Multimodal Smart Appliance ensembles for Mobile Applications (MuSAMA, GRK 1424).

References

- [1] D. Lieckfeldt, J. You, and D. Timmermann, "Characterizing the Influence of Human Presence on Bistatic Passive RFID-System," *2009 IEEE International Conference on Wireless and Mobile Computing, Networking and Communications*, pp. 338–343, Oct. 2009.
- [2] B. Wagner, B. Striebing, and D. Timmermann, "A System for Live Localization In Smart Environments," *IEEE International Conference on Networking, Sensing and Control*, 2013.
- [3] D. Lieckfeldt, J. You, and D. Timmermann, "Exploiting RF-Scatter: Human Localization with Bistatic Passive UHF RFID-Systems," *2009 IEEE International Conference on Wireless and Mobile Computing, Networking and Communications*, no. 1c, pp. 179–184, Oct. 2009.
- [4] B. Wagner and N. Patwari, "Passive RFID Tomographic Imaging for Device-Free User Localization," *Workshop of Positioning, Navigation and Communication*, no. 1, pp. 1–6, 2012.
- [5] J. Skodzik, V. Altmann, and B. Wagner, "A Highly Integrable FPGA-Based Runtime-Configurable Multilayer Perceptron," *27th IEEE International Conference on Advanced Information Networking and Applications (AINA-2013)*, 2013.
- [6] B. Wagner, D. Timmermann, G. Ruscher, and T. Kirste, "Device-free User Localization utilizing Neural Networks and passive RFID," *Conference on Ubiquitous Positioning Indoor Navigation and Location Based Service (UPINLBS)*, 2012.
- [7] J. Wilson and N. Patwari, "Through-Wall Motion Tracking Using Variance-Based Radio Tomography Networks," *arXiv.org*, Oct, pp. 1–9, 2009.
- [8] J. Wilson and N. Patwari, "Radio Tomographic Imaging with Wireless Networks," *IEEE Transactions on Mobile Computing*, vol. 9, no. 5, pp. 621–632, May 2010.
- [9] U. Ahmad, A. Gavrilov, and U. Nasir, "In-building localization using neural networks," *Intelligent Systems, IEEE*, 2006.
- [10] S. Ergut, R. R. Rao, O. Dural, and Z. Sahinoglu, "Localization via TDOA in a UWB Sensor Network using Neural Networks," *2008 IEEE International Conference on Communications*, pp. 2398–2403, 2008.
- [11] A. Shareef, Y. Zhu, and M. Musavi, "Localization Using Neural Networks in Wireless Sensor Networks," *Proceedings of the 1st International ICST Conference on Mobile Wireless Middleware, Operating Systems and Applications*, 2008.
- [12] EPCGlobal Inc., "Specification for RFID Air Interface EPC™ Radio-Frequency Identity Protocols Class-1 Generation-2 UHF RFID Protocol for Communications at 860 MHz – 960 MHz," no. October, 2008.
- [13] "Alien Technology Inc." [Online]. Available: <http://www.alientechnology.com/>.