





















## References

- [1] Aharony, N., Pan, W., Ip, C., Khayal, I., and Pentland, A. Social fMRI: Investigating and shaping social mechanisms in the real world. *Pervasive and Mobile Computing* 7, 6 (2011), 643–659.
- [2] Alliance of Religions and Conservation (ARC). Pilgrim numbers. <http://www.arcworld.org/projects.asp?projectID=500>. Accessed May 2013.
- [3] Bao, L., and Intille, S. Activity recognition from user-annotated acceleration data. In *Pervasive Computing*. Springer, 2004, 1–17.
- [4] Center of Research Excellence in Hajj and Umrah. Hajjcore. <http://www.hajjcore.org/hajjcoreASPsite/About.asp>. Accessed May 2013.
- [5] Do, T.-M.-T., and Gatica-Perez, D. Human interaction discovery in smartphone proximity networks. *Personal and Ubiquitous Computing* 17, 3 (2012), 413–431.
- [6] Empatica. E2. <https://www.empatica.com>. Accessed May 2013.
- [7] F.E. Peters. *The Hajj: The Muslim Pilgrimage to Mecca and the Holy Places*. Princeton University Press, 1994.
- [8] HajjDoc. Pilgrims-Sourced Data Collection for Documentation and Continous Improvement of Hajj and Umrah. [www.hajjdoc.net](http://www.hajjdoc.net). Accessed May 2013.
- [9] Hernandez, J., Morris, R. R., and Picard, R. W. Call center stress recognition with person-specific models. In *Proc Affective computing and intelligent interaction (ACII)* (2011).
- [10] Mantoro, T., Jaafar, A., Aris, M., and Ayu, M. Hajjlocator: A hajj pilgrimage tracking framework in crowded ubiquitous environment. In *Int.. Conf. on Multimedia Computing and Systems* (2011).
- [11] Melillo, P., Bracale, M., and Pecchia, L. Nonlinear heart rate variability features for real-life stress detection. case study: students under stress due to university examination. *Biomed Eng Online* 10, 1 (2011), 96.
- [12] MIT Media Lab. Human dynamics laboratory. <http://hd.media.mit.edu/>. Accessed May 2013.
- [13] Mohandes, M. Pilgrim tracking and identification using the mobile phone. In *IEEE International Symposium on Consumer Electronics (ISCE)* (2011).
- [14] Olguín, D. O., Gloor, P. A., and Pentland, A. Capturing individual and group behavior with wearable sensors. In *AAAI Spring Symposium: Human Behavior Modeling* (2009), 68–74.
- [15] Patel, S., Park, H., Bonato, P., Chan, L., and Rodgers, M. A review of wearable sensors and systems with application in rehabilitation. *Journal of NeuroEngineering and Rehabilitation* 9, 1 (2012), 21.
- [16] Poh, M.-Z., Swenson, N. C., and Picard, R. W. A wearable sensor for unobtrusive, long-term assessment of electrodermal activity. In *Proc IEEE Eng Med Biol Soc (EMBC)* (2010).
- [17] Waber, B. N., Olgun, D. O., Kim, T., and Pentland, A. Understanding organizational behavior with wearable sensing technology. In *Social Science Research Network (SSRN) 1263992* (2008).
- [18] Zephyr. Bioharness 3. [www.zephyranywhere.com](http://www.zephyranywhere.com). Accessed May 2013.
- [19] Zephyr. Portal. [www.zephyrlife.com/life](http://www.zephyrlife.com/life). Accessed May 2013.