















We are conducting further user studies to evaluate the effects of our process-driven approach on home automation usability and refine our sequence editor. In accordance with related work [1, 11, 13], we plan on conducting home visitations to explore real-life use cases and automation processes. In addition, we are working on a community-based approach to build a repository of drivers, controllers, and virtual devices created by users or manufacturers. Further enhancements could be multi-user support and personal user profiles. Resolving conflicting sequences could be done with the help of dedicated room owners or prioritizing users and their sequences in the home. Deviations from activated sequences present further challenges in that they require a compromise between pervasiveness and user control.

## References

- [1] Brush, A. B., Lee, B., Mahajan, R., Agarwal, S., Saroiu, S., and Dixon, C. Home automation in the wild: challenges and opportunities. In *CHI '11*, ACM (2011).
- [2] Busemann, C., Gazis, V., Gold, R., Kikiras, P., Kovacevic, A., Leonardi, A., Mirkovic, J., Walther, M., and Ziekow, H. Enabling the usage of sensor networks with service-oriented architectures. In *MidSens '12 workshop*, ACM (2012).
- [3] Dixon, C., Mahajan, R., Agarwal, S., eBrush, A., Lee, B., Saroiu, S., and Bahl, P. An Operating System for the Home. In *NSDI '12*, USENIX Assoc. (2012).
- [4] Helal, S., Mann, W., El-Zabadani, H., King, J., Kaddoura, Y., and Jansen, E. The Gator Tech Smart House: A Programmable Pervasive Space. *Computer, IEEE* 38, 3 (2005), 50–60.
- [5] Humble, J., Crabtree, A., Hemmings, T., Åkesson, K.-P., Koleva, B., Rodden, T., and Hansson, P. Playing with the bits: User-configuration of ubiquitous domestic environments. In *UbiComp '03*, ACM (2003).
- [6] Kawsar, F., Kortuem, G., and Altakrouri, B. Supporting interaction with the internet of things across objects, time and space. In *IOT '10*, IEEE (2010).
- [7] Kawsar, F., Nakajima, T., and Fujinami, K. Deploy spontaneously: supporting end-users in building and enhancing a smart home. In *UbiComp '08* (2008).
- [8] Koenig, R., Haas, M., and Droegehorn, O. FHEM. <http://fhem.de/fhem.html>.
- [9] Kortuem, G., Kawsar, F., Fitton, D., and Sundramoorthy, V. Smart objects as building blocks for the internet of things. *Internet Computing, IEEE* 14, 1 (2010), 44–51.
- [10] Meliones, A., Economou, D., Grammatikakis, I., Kameas, A., and Goumopoulos, C. A context aware connected home platform for pervasive applications. In *SASO '08 workshops*, IEEE (2008).
- [11] Mennicken, S., and Huang, E. M. Hacking the natural habitat: an in-the-wild study of smart homes, their development, and the people who live in them. In *Pervasive '12*, Springer (2012).
- [12] Ninja Blocks Inc. The Ninja Platform. <http://ninjablocks.com/>.
- [13] Poole, E. S., Chetty, M., Grinter, R. E., and Edwards, W. K. More than meets the eye: transforming the user experience of home network management. In *DIS '08*, ACM (2008).
- [14] Takayama, L., Pantofaru, C., Robson, D., Soto, B., and Barry, M. Making technology homey: finding sources of satisfaction and meaning in home automation. In *UbiComp '12*, ACM (2012).
- [15] Weiser, M. The computer for the 21st century. *Scientific American* 265, 3 (1991), 94–104.